PIU800 TEMPORARY TANK & DRUM REPAIR PUTTY

- Stop leaks from drums, and tanks at the source
- No surface or putty preparation is required
- Simply scoop putty out and press over the hole
- Adhesive and chemical resistant
- Effective up to .25 bar (8ft head pressure)
- Adheres to metal, plastic and glass
- Perfect addition to any Spill Response Kit
- Buys precious time and saves valuable liquids

Item Code	Name	Weight
PIU800	Plugitup Putty	800grams



TSSDF1 POLY DRUM FUNNEL

- Perfect solution for waste oil collection point
- Large stable surface area allows for controlled pouring
- $\boldsymbol{\cdot}$ Drain containers and oil filters before disposal
- Tough polyethylene construction for maximum durability

Item Code	Diameter	Height	Weight
TSSDF1	610mm	230mm	4kg

TSSOP1 OVERPACKS

- $\boldsymbol{\cdot}$ Superior strength with UV inhibitors
- Nestable for convenient storage
- $\boldsymbol{\cdot}$ Ideal weatherproof spill kit container

Item code	Capacity	Height	Diam Top	Diam Bot	Weight
TSS0P1	340 Litre	1020mm	830mm	683mm	22kg





SPILL STATION ASIA PTE LTD E-mail: info@spillstation.com.sg www.spillstation.com.sg



TSSBT230 MOBILE DISPENSING STATION

- Safely move 205L drums from vertical to horizontal
- · Genuine single person operation. No forklift required
- · Lockable 3rd wheel for easy manoeuvring
- Single piece moulded polyethylene with 230L sump
- Double ratchet straps for extra load security
- DIBt Z-40.22-398 APPROVAL

Length	Width	Height	Weight	Sump	Max Load
1600mm	740mm	640mm	42kg	230 Litre	300kg



POLY RACKERS

• Decant from 205 litre drums in a safe bunded area

- Huge 400L sump makes recovering spilled liquids easy
- Seamless design for maximum sump security
- Racker (base unit) and Stacker sold separately

TSSDBC POLY STACKER

I STACKER							
Length	Width	Height	Weight	Sump	Max Load		
1240mm	795mm	370mm	13kg	NIL	600kg		
TSSDB4 POL	TSSDB4 POLY RACKER						
Length	Width	Height	Weight	Sump	Max Load		
1390mm	1250mm	490mm	50kg	400 Litre	1250kg		

TSSDL2 DRUM TOPPER

Item Code

TSSDL2

- Prevent corrosion of drums stored outside
- $\boldsymbol{\cdot}$ Locks onto the drum but is easily removed when required
- $\boldsymbol{\cdot}$ Slanted lid prevents buildup of rainwater
- \cdot Made of UV stabilised polyethylene

Description

Secure Polyeth

	Size
ylene 205L Drum Lid	630(D)x160(H)mm x2kg





TSSPDDH POLY DRUM DOLLY

· Ideal for mobile fluid collection and vertical dispensing

- Avoid spills by taking your drum to the job
- · Collect incidental spills and prevent slip hazard
- Overall sump height 255mm for ease of loading
- Sturdy handle and rotating lockable castors

Length	Width	Height	Weight	Sump	Max Load
725mm	725mm	990mm	15.5kg	30 Litre	300kg



SPILL STATION ASIA PTE LTD E-mail: info@spillstation.com.sg www.spillstation.com.sg

ROMOLD LTD[®] SUPERIOR SECONDARY CONTAINMENT SOLUTIONS



TSSBB1T DISPENSING WELLS FOR IBC STORAGE UNIT

- Attaches securely to any position around the bund
- $\boldsymbol{\cdot}$ Catches drips & directs any overflow back into the sump
- Big enough to hold 25 litre drums for safe decanting
- $\boldsymbol{\cdot}$ Ideally suited for storing connected hoses when not in use

Item Code	Length	Width	Height	Sump	Use With	Weight
TSSBB1T	525mm	545mm	855mm	86L	TSSBB1	8.5kg





TSSBB2T DISPENSING WELLS FOR IBC STORAGE UNIT

- Attaches securely to any position around the bund
- · Catches drips & directs any overflow back into the sump
- Big enough to hold 25 litre drums for safe decanting
- · Ideally suited for storing connected hoses when not in use

Item Code	Length	Width	Height	Sump	Use With	Weight
TSSBB2T	530mm	520mm	520mm	86L	TSSBB2	5kg

IBC FUNNEL

- Large diameter for easy decanting into IBCs
- Avoid spills and keep the area free of slip hazards
- Tough polyethylene construction for maximum durability

Item Code	Description	Diameter	Width	Weight
TSSDF200	IBC Funnel With Lid	640mm	150mm	4kg



SPILL STATION ASIA PTE LTD E-mail: info@spillstation.com.sg www.spillstation.com.sg